

# TALON™

Quick Acquisition Near or Far

MODEL 2000



# Fast-acquisition scope for split-second response in low light and dense coverage

## TALON™ 1-4x24 Dangerous Game Optic

This scope and reticle are designed for hunting in conditions of contrasting light in brush, wooded areas, grass or steep terrain. Imagine your Talon™ set at 1x. You are prepared for a close encounter of a dangerous kind with a bear. Your cheek weld is ingrained into your reflexes so when you bring your weapon up, your eye instantly sees the bear and a bold ring: put the bear in the ring, and you've got the shot.

Your Talon™ scope also allows you to accurately engage targets out to 800 yards depending on your rifle. You don't waste time turning knobs. Place the target on the Horus reticle grid, hold for drop and drift, and pull the trigger.


### Features


- Large, bold central aiming ring for quick target acquisition at point-blank range and assures repeatable cheek weld
- Moving target indicators for 4mph to 16mph on main horizontal crosshair
- Horus grid for targeting out to 800 yards without touching knobs



### H50 Reticle

The H50 easily switches between eliminating close threats using the bold aiming ring, and engaging long-range targets (to 800 yards) using the grid: a versatile combination for an incredible speed and distance advantage. Marks on the main horizontal crosshair approximate leads for walking, running, and sprinting targets.






**Scope Specifications**

Power	1-4 x 24
Length	9.75" (24.8 cm)
Weight	18.3 oz (518 g)
Tube Diameter	30 mm
Wall Thickness	1.5mm
Material	aluminum 6061-T, 340 HV Hardness
Tube	1 piece
Color	black
Exterior Finish	matte anodized
Shockproof	1200 g
Water-resistant	yes (3 meters)
Dustproof	yes
Fogproof	yes
Warranty	1 year limited
Twilight Factor	4.9 @ 1x - 9.8 @ 4x
Reticle	H-50
Reticles	1st Focal Plane
Reticle Illumination	yes
Battery Size	CR2032
Battery Life	20+ hours
Rheostat	yes
Rheostat Positions	11 positions
Lenses	12 + reticle
Lens Coating	multi-coated

Objective Lens	24mm
Field of View	21.0 - 9.0 m (at 100m)
Eye Relief	5.5" - 3.3" (139-84mm)
Exit Pupil	24.0 - 6.0 mm
Ocular Type	rapid European focus
Diopter Adjustment	more than (-2,+1)
Elevation Increment	1 click = .10 mil radian
Elevation Adj. Range	more than 34.9 MILS
Windage Increments	1 click = .10 mil radian
Windage Adj. Range	more than 34.9 MILS
Turret Caps	yes
Turret Type	low
Power Selector Style	tactile power indicator

**Optional Accessories**

ASLI	
Ocular Lens Caps	1.75"
Objective Lens Caps	1.2"



**H50 Reticle Specifications**

Distance	Point-blank to 800 yards, depending on ammo/rifle
Illumination	bold ring and crosshairs illuminate
Range Finder	none
Target Lead	indicators on horizontal crosshair
Central Targeting Grid	calibrated in USMC Mils (6283 mils/circle) (1 mil = 3.60 inches at 100 yards)

# Horus Model 2000 Scopes

## Why Horus?

### **FALCON™** **5-20x50 Illuminated**

A scope for all needs. Steel tubes ensure toughness for heavy field use and larger calibers out to 1500 yards.



### **RAPTOR™** **4-16X50 Non-Illuminated**

For serious shooters wanting extra reach and precision up to 1000 yards.



### **PREDATOR™** **8-26x50 Non-Illuminated**

Thin reticle lines, calibrated in inches, for small targets up to 1200 yards.



### **HAWK™** **3-12x50 Non-Illuminated**

Versatility meets distance. This simple, no-nonsense scope is excellent for shots out to 800 yards.



### **BLACKBIRD™** **1.5-8x24 Illuminated**

Extended tactical capability for close-range shooting, longer distances and moving targets.



### **TALON™** **1-4x24 Illuminated**

Eliminate close-in targets with incredible speed. From close range to 800 yards.



Horus scopes take an evolutionary leap forward in aiming technology. Our patented reticles replace outdated mil dots and obsolete crosshairs with an ingenious aiming grid. Wind and elevation adjustments are lightning fast. Simply sight your target at the correct grid coordinates, then pull the trigger. No more turning knobs or counting clicks. Your eyes and attention stay focused right on target.

- *easy to use*
- *lightning-fast adjustments*
- *revolutionary accuracy*
- *absolute repeatability*
- *reduced training time*

#### DISCLAIMERS

Product details, specifications and images may not reflect current features and are subject to change without notice. Full disclaimer at [www.horusvision.com/terms.php](http://www.horusvision.com/terms.php).

Horus reticle designs and products are covered by U.S. and foreign patents. © 2010 Horus Vision, LLC.

All rights reserved.

Printed Jan. 2010

## Extreme Technology. Extreme Precision.

Passion for precision propels us toward groundbreaking technology. Our revolutionary reticles make conventional scopes obsolete, delivering repeatable hits from close range to 1500 yards. Want to make your first shot under even the most extreme conditions? Our ATrag Ballistics Software instantly calculates precise hold points based on your exact atmospheric, ballistics, and target data. For ultimate accuracy at extreme range, fine-tune your skills and scope with our calibration accessories. When you own Horus technology, you own the field.



# HORUS™

(650) 588-8862  
Horus Vision, LLC  
598 San Mateo Ave.  
San Bruno, CA 94066  
[info@horusvision.com](mailto:info@horusvision.com)  
[www.horusvision.com](http://www.horusvision.com)